43" Outdoor Digital Android Battery A-Boards





Fully portable solution for any space; display content all day and night on a single charge

Portable Lightweight Enclosure

With a moulded polymer rear these displays are incredibly lightweight and this, along with their rugged castors, means they can easily be moved by one person. The specialised castors are designed to minimise vibrations on uneven surfaces, protecting the internal components for a longer product lifespan.



Tempered Anti-Glare Glass

These displays feature a tempered glass front that has been specially treated to give an anti-glare finish. This completely diffuses external light reflections without reducing the brightness of the screen, improving the readability of on-screen content.







IP65-Rated Enclosure



27 Hour Running Time



Android Media Player



700cd/m² IPS Panel



Wide Viewing Angle



Robust Fixed Design



Locking Bar



Ambient Light Sensor



Ultra Resistant to Blackening Defect (up to $110\,^{\circ}\text{C}$)



Isolated Batt ry Housing



White Version Available



1,500cd/m² Version Available











Other Features

Fully Weatherproof

Designed to withstand the elements, these displays are protected against all wet weather conditions and airborne dust particles by their robust IP65-rated outer casing. This means they can be used in any environment, come rain or shine.





700cd/m² High Brightness*

These displays strike the perfect balance between brightness and battery life. With a high brightness blackening resistant panel which is up to three times brighter than a domestic TV, the screen is clearly visible in outdoor spaces without compromising on running time or battery lifespan.







Integrated Android Media Player

The integrated Android media player allows you to easily update on-screen content via USB plug and play. Alternatively, upgrade your screen to be networked without needing any additional hardware to unlock our cloud-based CMS software. Third-party software can be installed instead if required.



Charge Level Indicator

The smart meter on the rear of the display tells you exactly how much charge the left battery has left, including an estimation of running time remaining, so you can rest assured that the battery will never die unexpectedly.





Battery-Powered Display

The integrated lithium-polymer battery offers an amazing 27 hours run time from a single charge*, allowing you to display messaging all day and night without needing to recharge. A secure housing safely isolates this commercial grade battery from other components for total peace of mind.



27 Hours

*Excludes degradation and user damaged caused by sulphation, deep cycling and overcharging

Robust Fixed Design

Unlike traditional A-boards, these displays have a sturdy non-foldable design for ultimate durability and extended lifespan. This is further enhanced by the tempered glass front, which protects the panel and internal components from damage.





Secure Locking Bar

Once in position, the rugged castors can be locked in place with the built-in locking bar. For additional security, a padlock can be used to lock the bar in place.



Ambient Light Sensor

Thanks to the built-in light sensor, the brightness of the screen will automatically change depending on the ambient conditions. This ensures these displays are always operating at the most suitable brightness for their environment, as well as maximising the running time.









700CD/M ² HIGH BRIGHTNESS



TEMPERED ANTI-GLARE GLASS



INTEGRATED ANDROID MEDIA PLAYER



OPTIONAL NETWORK UPGRADE









ULTRA RESISTANT TO BLACKENING DEFECT



LOCKABLE RUGGED CASTORS







AMBIENT LIGHT SENSOR















SpecificaatioTable

Colour			43 Inch
Agect Ratio 16:9		Resolution	
Agect Ratio 16:9	Panel	Display Area (mm)	531.4x943.2
Parall Brightness (cd/m ²) 700 Colour 16.7M Viewing Angle 178* Viewing Angle 5000:1 Audio Speaker Type 5W.E. (x2) Audio Speaker Type 5W.E. (x2) Battery Echnology Integrated lithium polymer Battery Life 2.7 hours Battery Life 2.7 hours Battery Consumption 73000000000000000000000000000000000000			16:9
Color			700
Audio Speaker Type \$VR, B1 (x2) Sattery Battery Technology Integrated lithium polymer Sattery Life 7 hours Battery Life 27 hours Battery Supply 29,2V-21,2V Power Consumption 73W Power Consumption 73W Power Consumption 1323xx604-7x478 Package Size (WAHAD mm) 1310x745x645 Pootprint (WAH mm) 604,7x478 Mechanical Footprint (WAH mm) 604,7x478 Mechanical 37.5 Gross Weight likgl 37.5 Gross Weight likgl 43 Operating Temperature -20°C to 70°C Storage Temperature -30°C to 60°C Gross Weight likgl 10% to 60% Storage Temperature -30°C to 60°C Growthad Formats Video (MPG, AVI, MP4, RM, RMVB, RTS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Forbright limidity 10% to 60% to 60% to 60% to 60%			16.7M
Audio Speaker Type \$500:1 Audio Speaker Type \$500:2 Battery Technology Integrated lithium polymer Charging Time 7 hours Battery Life 27 hours Battery Spacity 380000mA Power Supply 29.20-21.2V Power Consumption 73W Package Size (MAHAD mm) 131232x604.7x478 Package Size (MAHAD mm) 131232x604.7x478 Mechanical Footprint (WAH mm) 604.7x478 Mechanical Footprint (WAH mm) 604.7x478 Mechanical 37.5 100.745x6445 Gross Weight (kg) 37.5 100.745x6445 Gross Weight (kg) 37.5 100.745x6445 Gross Weight (kg) 43 30.75x12x12x12x12x12x12x12x12x12x12x12x12x12x		Viewing Angle	178°
Rutio Speaker Type 5W,80 (x2) Battery Technology Integrated lithium polymer Charging Time 7 hours Battery Life 27 hours Battery Capacity 38000mA Power Consumption 73W Mechanical Power Consumption 73W Mechanical Footprint (WxHxD mm) 1330x745x645 Footprint (WxHxm) 6047x478 Met Weight (kg) 37.5 Met Weight (kg) 37.5 Gross Weight (kg) 43 Operating Temperature -20°C to 70°C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RNVIB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Formats Video (MPG, AVI, MP4, RM, RNVIB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Formats Video (MPG, AVI, MP4, RM, RNVIB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Formats Video (MPG, AVI, MP4, RM, RNVIB, TS), Audio (MP3, VI, MP4, RM, CMP), TS, Audio (MP3, VI, MP4, RM, CMP), TS, Audio (MPG, AVI, MP4, RM, CMP), TS, Audio (MP3, VI, MP4, RM, CMP), TS, Au			5000:1
Charging Time	Audio		
Battery Life 27 hours Battery Capacity 38000mA Power Consumption 29 2V - 21 2V Power Consumption 73W Mechanical Int Size (WxHxD mm) 1232x604.7x478 Package Size (WxHxD mm) 1310x745x445 Poet Consumption 6047x478 Mechanical Footprint (WxH mm) 6047x478 Net Weight (kg) 37.5 Gross Weight (kg) 43 Corporating Temperature -20°C to 70°C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MPA, RM.RMVB, TS). Audio (MPS, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 COPU Quad-Core ARM Mali-T764 GPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 MEXITY MEXITY MEXITY VIFI 802.11b/g/n/ac (Network Version Only) QCS Android 7.1 Graphic Engine OpenGLES 1.1/2.0/30/3.1, OpenCL 1.1, Renderscrip	Battery		
Battery Apacity 38000mA Power Supply 29.2V - 21.2V Power Consumption 73W Power Apach (Michael Dimin) 1232x604,7x478 Package Size (WxHxD mm) 1310x745x645 Pootprint (WxH mm) 604,7x478 Pootprint (WxH mm) 604,7x478 For Sweight (kg) 43 Operating Temperature -20°C to 70°C Storage Temperature -20°C to 70°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex AIT, 1.6GHz GPU Quad-Core ARM Molit-Tr64 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 80.211b/gn/ac (Network Version Only) Accessories OpenGLES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Opinal Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable			
Battery Apacity 38000mA Power Supply 29.2V - 21.2V Power Consumption 73W Power Apach (Michael Dimn) 1232x604.7y478 Package Size (WxHxD mm) 1310x745x645 Pootprint (WxH mm) 604.7y478 Pootprint (WxH mm) 604.7y478 For Sweight (kg) 43 Operating Temperature -20°C to 70°C Storage Temperature -20°C to 70°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex AIT, 1.6GHz GPQ Quad-Core ARM Cortex AIT, 1.6GHz GPQ Quad-Core ARM Mali-TY64 Loss 1 x USB (MCST) WiFi 80.211b/gn/ac (Network Version Only) ViFe 80.211b/gn/ac (Network Version Only) Accessories OpenGLES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories OpenGLES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Acces			27 hours
Power Supply 29.2V - 21.2V Power Consumption 73W Power Consumption 73W Power Consumption 1232x604,7x478 Power Supply 1232x604,7x478 Power Supply 6047x478 Power Supply 6047x478 Met Weight (kg) 37.5 Gross Weight (kg) 37.5 Gross Weight (kg) 43 Operating Emperature -20°C to 70°C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Departing Humidity 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 Line Internal Storage 8GB eMMC Marranty Marranty Period (Battery) Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Accessories OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Morranty			38000mA
Power Consumption 73W 73			29.2V - 21.2V
Mechanical Package Size (WxHxD mm) 1310x745x645 Mechanical Footprint (WxH mm) 604.7x478 Net Weight (kg) 37.5 Gross Weight (kg) 43 Agenting Temperature -20°C to 70°C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1202x (180x) (180x) (120x) CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Cortex A17, 1.6GHz RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OCCESSORIES OpenGLES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 CACCESSORIES Optional Network Uggrade, Security Chain Warranty Warranty Period 3 Year Warranty*			73W
Mechanical Package Size (WxHxD mm) 1310x745x645 Mechanical Footprint (WxH mm) 604.7x478 Net Weight (kg) 37.5 Gross Weight (kg) 43 Again Temperature -20°C to 70°C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 120x0.1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Cortex A17, 1.6GHz Filterial Storage BGB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 OS Android 7.1 OF (applic Engine OpenGLES 1.1/2.0/3.0/3.1/OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Warranty Warranty Period 3 Year Warranty*	Mechanical	Unit Size (WxHxD mm)	1232x604.7x478
Mechanical Footprint (WxH mm) 604.7x478 Net Weight (kg) 37.5 Gross Weight (kg) 43 Amazon Operating Temperature -20°C to 70°C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 MEDIA STORAGE BGB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Coccessories OpenGL ES 1.1/20/30/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Maccessories Optional Network Uggrade, Security Chain Warranty Warranty Period 3 Year Warranty*			1310x745x645
Gross Weight (kg)			604.7x478
Operating Temperature		Net Weight (kg)	37.5
Operating Temperature		Gross Weight (kg)	43
Departing Humidity 10% to 80%	Environmental		-20°C to 70°C
Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1xUSB (OTG/HOST), 1x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Dtional Network Upgrade, Security Chain Warranty Warranty Warranty Period (Battery) 3 Year Warranty*		Storage Temperature	-30°C to 60°C
Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Optional Network Upgrade, Security Chain Warranty Warranty Period (Battery) 3 Year Warranty*		Operating Humidity	10% to 80%
Media Resolution		Storage Humidity	5% to 95%
CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Optional Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Varranty Period 3 Year Warranty Warranty Period (Battery) 3 Year Warranty*	Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
Computer GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Optional Network Upgrade, Security Chain Warranty Warranty Period (Battery) Warranty*		Media Resolution	1920x1080/1080x1920
Computer RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Optional Network Upgrade, Security Chain Warranty Warranty Period (Battery) 3 Year Warranty*		CPU	Quad-Core ARM Cortex A17, 1.6GHz
Internal Storage 8GB eMMC USB		GPU	Quad-Core ARM Mali-T764
Internal Storage USB 1 x USB (OTG/HOST), 1 x USB (HOST) Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Optional Optional Varranty Period Warranty Warranty Warranty Warranty SGB eMMC 1 x USB (HOST) 802.11b/g/n/ac (Network Version Only) Android 7.1 Senderscript, Direct3D 11.1 Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Network Upgrade, Security Chain 3 Year Warranty Warranty Period (Battery) 3 Year Warranty*		RAM	DDR3 2GB
Wi-Fi 802.11b/g/n/ac (Network Version Only) OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Optional Network Upgrade, Security Chain Warranty Period (Battery) 3 Year Warranty Warranty Period (Battery) 3 Year Warranty*		Internal Storage	8GB eMMC
OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Optional Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Optional Network Upgrade, Security Chain Warranty Period 3 Year Warranty Warranty Period (Battery) 3 Year Warranty*		USB	1 x USB (OTG/HOST), 1 x USB (HOST)
Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Accessories Included Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Optional Network Upgrade, Security Chain Warranty Period 3 Year Warranty Warranty Period (Battery) 3 Year Warranty*		Wi-Fi	802.11b/g/n/ac (Network Version Only)
Accessories Included Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable Optional Network Upgrade, Security Chain Warranty Period Warranty Period (Battery) 3 Year Warranty*		OS	Android 7.1
Accessories Optional Network Upgrade, Security Chain Warranty Period 3 Year Warranty Warranty Period (Battery) 3 Year Warranty*		Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Optional Network Upgrade, Security Chain Warranty Period 3 Year Warranty Warranty Period (Battery) 3 Year Warranty*	Accessories	Included	Scheduling Software, Remote Control, User Manual, Charger, Mains Power Cable
Warranty Warranty Period (Battery) 3 Year Warranty*		Optional	Network Upgrade, Security Chain
		Warranty Period	3 Year Warranty
Technical Support Lifetime	Warranty	Warranty Period (Battery)	3 Year Warranty*
		Technical Support	Lifetime























